



# Agar.io Private Server



組員： 林右詮、紀宏勳、陳翊安、陳緯政

# Outline

- Introduction
- How to play ?
- Let's have fun !




# Introduction




# Introduction

- 操縱細胞
- 肥料
- 綠病毒
- 黑病毒




# How to play ?

- 移動滑鼠控制方向
- 按鍵盤 W 鍵，發射飼料
- 按鍵盤 Space 鍵，分裂




# Let's have fun !

- Chrome線上程式應用商店  
安裝擴充功能  
agar.io server browser



# Let's have fun !

- <http://agar.io/>

A screenshot of the Agar.io mobile application interface. The background is a dark grey grid with various colored circles. The interface is a white rounded rectangle. At the top left is the text 'Agar.io' and at the top right are 'Like' and 'Share' buttons. Below that is a 'Nick' input field. Then a websocket URL input field containing 'ws://ServerIP:443'. There are two blue buttons: 'Play' with a gear icon, and 'Find New Session'. Below these is instructional text: 'Move your mouse to control your cell', 'Press Space to split', and 'Press W to eject some mass'. A large black advertisement box with white text reads 'SCIENCE HAS PROVEN: CELLS THAT BLOCK ADS ARE LESS LIKELY TO SURVIVE'. Below the ad is the word 'Advertisement'. At the bottom are links for 'Privacy | Terms of Service | Changelog'.



THE END